CARBOHYDRATE RESEARCH VOL. 206 (1990)

AUTHOR INDEX

Albersheim, P., 289
Andersson, R., 340
Aped, P., 21
Appleton, M.L. 373

Behrman, E.J., 373
Bender, H., 257
Biely, P., 251
Bolte, J., 79

Cherniak, R., 167
Chou, K.J., 289
Ciucanu, I., 71
Claesson, A., 269
Colquhoun, I.J., 131
Cottrell, C.E., 373

Danishefsky, S.J., 361
Darvill, A.G., 289
de Ruiter, G.A., 131
Dea, I.C.M., 87
Dehmel, K., 219
Demuynck, C., 79
Dorset, D.L., 193
Duda, C.A., 347

Fuchs, B., 21

Gan, L.-X., 65
Garrett, E.C., 183
Gaudino, J.J., 233
Gawronska, K., 41
Gawronski, J., 41
Geraeds, C.J.M., 105
Gordon, D.M., 361
Grasdalen, H., 367

Haufe, G., 13
Hecquet, L., 79
Hiroi, T., 297
Hiromi, K., 161
Hirsch, J., 251
Hizukuri, S., 145
Hoffman, J., 340
Hommel, E., 13
Huang, D.-b., 173

Ishii, T., 297

Jackson, G.E., 333
James, P.G., 167
Jeffrey, G.A., 173

Kleber, H.-P., 13
Knutsen, S.H., 367
Kolar, C., 219
Kondo, H., 161
Kormelink, F.J.M., 105
Kováč, P., 251
Kuzuhara, H., 207

Luca, C., 71
Luthman, K., 269

Maehara, Y., 145
Myslabodski, D.E., 367

Nahar, N., 340
Nakatani, H., 161
Nishi, K., 352
Nishimura, S.-I., 207

O'Neill, M.A., 289
Ogawa, S., 352
Orbe, M., 269

Posthumus, M.A., 117

Quemener, B., 277

Richards, J.C., 311
Ross-Murphy, S.B., 87

Samaki, H., 79
Schleifer, L., 21
Scholander, E., 340
Schols, H.A., 105, 117, 131
Searle-van Leeuwen, M.F., 105
Senderowitz, H., 21
Serianni, A.S., 1, 183
Severn, W.B., 311
Shatwell, K.P., 87
Shibata, Y., 352
Stach, J., 13
Stephen, A.M., 333
Stevens, E.S., 347
Sutherland, I.W., 87

Tartakovsky, E., 21
Thibault, J.-F., 277
Tvaroška, I., 55

Vogt, D.C., 333
Voragen, A.G.J., 105, 117, 131
Vršanská, M., 251
Vuorinen, T., 1

Wåglund, T., 269
Weber, L., 13
Whistler, R.L., 65
Wilcox, C.S., 233
Wolf, H., 219
Wu, J., 1

CARBOHYDRATE RESEARCH VOL. 206 (1990)

SUBJECT INDEX

Ab initio molecular orbital calculations on furanose sugars, 183
Acyclic sugar poly-*p*-chlorobenzoates, circular dichroism of, 41
Alkyl D-glucopyranosides. A study of binary phase behavior, anomeric exchange and the structure of *n*-, 193
O-(2-Amino-2-deoxy-4,6-*O*-ethylidene-β-D-glucopyranosyl)-4′-*O*-demethyl-4-epipodophyllotoxin, a new approach to the synthesis of 4-, 219
α-Amylase, porcine pancreatic, effect of maltotriitol on the action pattern of, 161
Amylopectin, wheat, fine structure of; mode of A to B chain binding, 145
Analysis, structural, of an acidic polysaccharide secreted by *Xanthobacter* sp., 289
1,2 Anhydro-α-D-hexopyranose, displacement reactions of a: Installation of useful functionality at the anomeric carbon, 361
1,2-Anhydro-3,4,6-tri-*O*-benzyl-α-D-glucopyranose, displacement reaction of: Installation of useful functionality at the anomeric carbon, 361
Anomeric effect in carbohydrates, diagnostic structural criteria for the, 21
Anomeric exchange and the structure of *n*-alkyl D-glucopyranosides. A study of binary phase behavior, 193
Anomerization of the 2-pentulofuranoses, kinetic and thermodynamic studies by ^{13}C-n.m.r. spectroscopy, 1
Apple pectin, identification by n.m.r. spectroscopy of oligosaccharides obtained by treatment with rhamnogalacturonase of the hairy regions of, 131
Assessment of methanolysis for the determination of sugars in pectins, 277
Avoidance of degradation during the methylation of uronic acids, 71

Capsular polysaccharides of *Rhodococcus equi* serotype 2, structural analysis of the specific, 311
5-Carba-β-D-fructofuranose 6-phosphate, synthesis of, 233
Carba-sugar analog of trehalosamine, [(1*S*)-(1,2/3,5)-2-amino-3,4-dihydroxy-5-hydroxymethyl-1-cyclohexyl] α-D-glucopyranoside, and a revised synthesis of its β anomer, 352
Carbohydrates, diagnostic structural criteria for the anomeric effect in, 21
Carbon–proton coupling constants of model compounds for glycosides, dependence on conformation of the one-bond and three-bond, 55
Calculations, *ab initio* molecular orbital, on furanose sugars, 183
Carrageenan fractions from Norwegian *Furcellaria lumbricalis* (Huds.) Lamour, characterization by ^{1}H-n.m.r. spectroscopy, 367
Cellulose and (1→4)-β-D-xylan, an n.m.r. study of the products of oxidation with sodium nitrite in orthophosphoric acid, 340
Cell-wall polysaccharides, linkage of phenolic acids to, 297
Characterization of carrageenan fractions from Norwegian *Furcellaria lumbricalis* (Huds.) Lamour by ^{1}H-n.m.r. spectroscopy, 367
Chemical transformations of sugar nucleotides: acetylation of uridine 5′-(α-D-glucopyranosyl diphosphate), 373
Circular dichroism of acyclic sugar poly-*p*-chlorobenzoates, 41
CMP-Kdo synthetase, synthesis of *C*-(D-glycosyl) analogues of 3-deoxy-D-manno-2-octulosonic acid (Kdo) as potential inhibitors of, 269
Conformation in aqueous solution from optical rotation, lactose, 347
Conformational dependency of the one-bond and three-bond carbon–proton coupling constants of model compounds for glycosides, 55
Crystal structure of raffinose pentahydrate, hydrogen bonding in, 173
Cyclisation reaction catalysed by α- and β-cyclodextrin glycosyltransferases studies of the mechanism of the, 257
Cyclopentanylmethyl (1*R*,2*R*,3*S*,4*S*)-2,3,4-trihydroxy-4-hydroxymethyl-, dihydrogen phosphate, synthesis of, 233

Dependence on conformation of the one-bond and three-bond carbon–proton coupling constants of model compounds for glycosides, 55
Diagnostic structural criteria for the anomeric effect in carbohydrates, 21

Epipodophyllotoxin, a new approach to the synthesis of 4-*O*-(2-amino-2-deoxy-4,6-*O*-ethyli-

dene-β-D-glucopyranosyl-4′-*O*-demethyl-4-, 219

Formylation of primary hydroxyl groups in sugars, 65
β-D-Fructofuranose 6-phosphate, carbocyclic analog of, 233
Furanose ring anomerization: Kinetic and thermodynamic studies of the D-2-pentuloses by ^{13}C.n.m.r. spectroscopy, 1
Furanose sugars, *ab initio* molecular orbital calculations, on, 183

D-Galactopyranose, ^{1}H- and ^{13}C-n.m.r. spectroscopy of methyl ethers of, 333
D-Glucal, 3,4,5-tri-*O*-benzyl, displacement reaction of: Installation of useful functionality at the anomeric carbon, 361
Glucan, a 4-methylmorpholine *N*-oxide–methyl sulfoxide soluble, of *Piptoporus betulinus*, 167
Glycolipid from *Torulopsis apicola*, elucidation of the structure of an unusual cyclic, 13
Glycosyltransferases, studies of the mechanism of the cyclisation reaction catalysed by α- and β-cyclodextrin, 257

^{1}H-n.m.r. and ^{13}C-n.m.r. spectroscopy of methyl ethers of D-galactopyranose, 333
Hairy regions of pectins, degradation by rhamnogalacturonase of the, 105
Hairy regions of pectins isolated from apple juice produced by the liquefaction process, structural features of, 117
Helix–coil transition behaviour of xanthan, the influence of acetyl and pyruvate substituents on the, 87
Hydrogen bonding in the crystal structure of raffinose pentahydrate, 173
Hydrolysis of (1→3)- and (1→2)-β-D-xylosidic linkages by an endo-(1→4)-β-D-xylanase of *Cryptococcus albidus*, 251
Identification by n.m.r. spectroscopy of oligosaccharides obtained by treatment of the hairy regions of apple pectin with rhamnogalacturonase, 131

Influence of acetyl and puruvate substituents on the helix–coil transition behaviour of xanthan, 87

Lactose conformation in aqeous solution from optical rotation, 347
Linkage of phenolic acids to cell-wall polysaccharides, 297
Lutropin, a pituitary glycoprotein hormone, synthesis of a peripheral trisaccharide sequence of, by use of chitobiose as a key starting-material, 207

Maltotriitol, effect on the action pattern of porcine pancreatic amylase, 161
Methanolysis for the determination of sugars in pectins, assessment of, 277
Methyl ethers of D-galactopyranose, ^{1}H- and ^{13}C-n.m.r. spectroscopy of, 333
Methylation of uronic acids, avoidance of degradation during the, 71
4-Methylmorpholine *N*-oxide–methyl sulfoxide soluble glucan of *Piptoporus betulinus*, a, 167
Molecular orbital, *ab initio*, calculations on furanose sugars, 183

N.m.r. spectroscopy, characterization of carrageenan fractions from Norwegian *Furcellaria lumbricalis* (Huds.) Lamour by ^{1}H-, 367
N.m.r. study of the products of oxidation of cellulose and (1→4)-β-D-xylan with sodium nitrite in orthophosphoric acid, 340

Octulosonic acid (Kdo) as potential inhibitors of CMP-Kdo synthetase, sythesis of *C*-(β-D-glycosyl) analogues of 3-deoxy-D-manno-2-, 269
Oligosaccharides obtained by treatment of the hairy regions of apple pectin with rhamnogalacturonase identification by n.m.r. spectroscopy of, 131
Optical rotation, lactose conformation in aqueous solution from, 347
Oxidation of cellulose and (1→4)-β-D-xylan with sodium nitrite in orthophosphoric acid, an n.m.r. study of the products of, 340

Pectins, assessment of methanolysis for the determination of sugars in, 277
Pectins, degradation by rhamnogalacturonase of the hairy regions of, 105
Pectins isolated from apple juice produced by the liquefaction process, structural features of hairy regions of, 117
2-Pentulofuranoses, kinetics and thermodynamics of anomerization studied by ^{13}C-n.m.r. spectroscopy, 1
Phase behavior, anomeric exchange and the structure of *n*-alkyl D-glucopyranosides. A study of binary, 193
Phenolic acids to cell-wall polysaccharides, linkage of, 297
Piptoporus betulinus, a 4-methylmorpholine *N*-oxide–methyl sulfoxide soluble glucan of, 167
Polysaccharide, acidic, secreted by *Xanthobacter* sp., structural analysis of, 289
Primary hydroxyl groups in sugars, formylation of, 65

Raffinose pentahydrate, hydrogen bonding in the crystal structure, 173

Rhamnogalacturonase: a novel enzyme that degrades the hairy regions of pectins, 105
Rhodococcus equi serotype 2, structural analysis of the specific capsular polysaccharides of, 311
Structural analysis of the specific capsular polysaccharides of *Rhodococcus equi* serotype 2, 311
Structural features of hairy regions of pectins isolated from apple juice produced by the liquefaction process, 117
Structure, fine, of wheat amylopectin; mode of A to B chain binding, 145
Structure of an unusual cyclic glycolipid from *Torulopsis apicola*, elucidation of the, 13
Sugar nucleotides: acetylation of uridine 5′-(α-D-glucopyranosyl diphosphate), chemical transformations of, 373
Sugar poly-*p*-chlorobenzoates, corcular dichroism of acyclic, 41
Sugars, formylation of primary hydroxyl groups in, 65
Synthesis of a carba-sugar analog of trehalosamine, [(1*S*)-(1,2/3,5)-2-amino-3,4-dihydroxy-5-hydroxymethyl-1-cyclohexyl] α-D-glucopyranoside, and a revised synthesis of its β anomer, 352
Synthesis of a peripheral trisaccharide sequence of lutropin, a pituitary glycoprotein hormone; use of chitobiose as a key starting-material, 207
Synthesis of 4-*O*-(2-amino-2-deoxy-4,6-*O*-ethylidene-β-D-glucopyranosyl)-4′-*O*-demethyl-4-epipodophyllotoxin, a new approach to the, 219
Synthesis of *C*-(β-D-glycosyl)analogues of 3-deoxy-D-manno-2-octulosonic acid (Kdo) as potential inhibitors of CMP-Kdo synthetase, 269
Synthesis of D-[1,2-$^{13}C_2$]xylulose, transketolase-catalysed, 79
Torulopsis apicola, elucidation of the structure of an unusual cyclic glycolipid from, 13
Transketolase-catalysed synthesis of D-[1,2-$^{13}C_2$]xylulose, 79
Trehalosamine, [(1*S*)-(1,2/3,5)-2-amino-3,4-dihydroxy-5-hydroxymethyl-1-cyclohexyl] α-D-glucopyranoside, and a revised synthesis of its β anomer, 352
Trisaccharide, a peripheral sequence of lutropin, a pituitary glycoprotein hormone, synthesis of, by use of chitobiose as a key starting-material, 207

Uridine 5′-(α-D-glucopyranosyl diphosphate), chemical transformations of sugar nucleotides: acetylation of, 373
Uronic acids, avoidance of degradation during the methylation of, 71

Wheat amylopectin, fine structure of; mode of A to B chain binding, 145

Xanthan, the influence of acetyl and pyruvate substituents on the helix–coil transition behaviour of, 87
Xanthobacter sp., structural analysis of an acidic polysaccharide secreted by, 289
Xylanase of *Cryptococcus albidus*, hydrolysis of (1→3)- and (1→2)-β-D-xylosidic linkages by an endo-(1→4)-β-D-, 251
Xylosidic linkages, hydrolysis of (1→3)- and (1→2)-β-D-, by an endo-(1→4)-β-D-xylanase of *Cryptococcus albidus*, 251
Xylulose, transketolase-catalysed synthesis of D-[1,2-$^{13}C_2$]-, 79